

calc_decimal_example

Student Group

First Name	Surname	Matrikel Nr.

Table of Contents


```

\color{white}{\text{numerals}:} & \color{white}{z_i} & \color{white}{2} & \color{white}{6} &
\color{white}{5} & \color{white}{8} & \color{white}{4} & \color{white}{7} \\
\color{white}{\text{calc}.:} & \color{white}{z_i \cdot B^i} & \color{white}{2000} &
\color{white}{600} & \color{white}{50} & \color{white}{8} & \color{white}{0.4} &
\color{white}{0.07} \\ \color{white}{\text{result}:} & \color{white}{\sum_i z_i \cdot B^i} & & &
\color{white}{2658.47} \\ \end{smallmatrix} \end{align*} Third: calculate the place value
$\quad$

```

```

\begin{align*} \begin{smallmatrix} \color{white}{\text{number}:} & \color{white}{} &
\color{white}{2} & \color{white}{6} & \color{white}{5} & \color{white}{8.} & \color{white}{4} &
\color{white}{7} \\ \color{white}{\text{index}:} & \color{white}{i} & \color{white}{3} &
\color{white}{2} & \color{white}{1} & \color{white}{0} & \color{white}{-1} & \color{white}{-2} \\
\color{white}{\text{place value}:} & \color{white}{B^i} & \color{white}{10^3} &
\color{white}{10^2} & \color{white}{10^1} & \color{white}{10^0} & \color{white}{10^{-1}} &
\color{white}{10^{-2}} \\ \color{white}{} & \color{white}{} & \color{white}{1000} &
\color{white}{100} & \color{white}{10} & \color{white}{1} & \color{white}{0.1} &
\color{white}{0.01} \\ \color{white}{\text{numerals}:} & \color{white}{z_i} & \color{white}{2} &
\color{white}{6} & \color{white}{5} & \color{white}{8} & \color{white}{4} & \color{white}{7} \\
\color{white}{\text{calc}.:} & \color{white}{z_i \cdot B^i} & \color{white}{2000} &
\color{white}{600} & \color{white}{50} & \color{white}{8} & \color{white}{0.4} &
\color{white}{0.07} \\ \color{white}{\text{result}:} & \color{white}{\sum_i z_i \cdot B^i} & & &
\color{white}{2658.47} \\ \end{smallmatrix} \end{align*} First: But space between the numerals to
see the thousands, hundreds, tens, ones, tenths, hundredths

```

```

\begin{align*} \begin{smallmatrix} \color{blue}{\text{number}:} & \color{blue}{} & \color{blue}
{2} & \color{blue}{6} & \color{blue}{5} & \color{blue}{8.} & \color{blue}{4} &
\color{blue}{7} \\ \color{blue}{\text{index}:} & \color{blue}{i} & \color{blue}{3} &
\color{blue}{2} & \color{blue}{1} & \color{blue}{0} & \color{blue}{-1} & \color{blue}{-2} \\
\color{blue}{\text{place value}:} & \color{blue}{B^i} & \color{blue}{10^3} &
\color{blue}{10^2} & \color{blue}{10^1} & \color{blue}{10^0} & \color{blue}{10^{-1}} &
\color{blue}{10^{-2}} \\ \color{blue}{} & \color{blue}{} & \color{blue}{1000} &
\color{blue}{100} & \color{blue}{10} & \color{blue}{1} & \color{blue}{0.1} &
\color{blue}{0.01} \\ \color{blue}{\text{numerals}:} & \color{blue}{z_i} & \color{blue}{2} &
\color{blue}{6} & \color{blue}{5} & \color{blue}{8} & \color{blue}{4} & \color{blue}{7} \\
\color{blue}{\text{calc}.:} & \color{blue}{z_i \cdot B^i} & \color{blue}{2000} &
\color{blue}{600} & \color{blue}{50} & \color{blue}{8} & \color{blue}{0.4} &
\color{blue}{0.07} \\ \color{blue}{\text{result}:} & \color{blue}{\sum_i z_i \cdot B^i} & & &
\color{blue}{2658.47} \\ \end{smallmatrix} \end{align*} First: But space between the
numerals to see the thousands, hundreds, tens, ones, tenths, hundredths

```

```

\begin{align*} \begin{smallmatrix} \color{black}{\text{number}:} & \color{black}{} & \color{black}
{2} & \color{black}{6} & \color{black}{5} & \color{black}{8.} & \color{black}{4} &
\color{black}{7} \\ \color{black}{\text{index}:} & \color{black}{i} & \color{black}{3} &
\color{black}{2} & \color{black}{1} & \color{black}{0} & \color{black}{-1} & \color{black}{-2} \\
\color{black}{\text{place value}:} & \color{black}{B^i} & \color{black}{10^3} &
\color{black}{10^2} & \color{black}{10^1} & \color{black}{10^0} & \color{black}{10^{-1}} &
\color{black}{10^{-2}} \\ \color{black}{} & \color{black}{} & \color{black}{1000} &
\color{black}{100} & \color{black}{10} & \color{black}{1} & \color{black}{0.1} &
\color{black}{0.01} \\ \color{black}{\text{numerals}:} & \color{black}{z_i} & \color{black}{2} &
\color{black}{6} & \color{black}{5} & \color{black}{8} & \color{black}{4} & \color{black}{7} \\
\color{black}{\text{calc}.:} & \color{black}{z_i \cdot B^i} & \color{black}{2000} &
\color{black}{600} & \color{black}{50} & \color{black}{8} & \color{black}{0.4} &
\color{black}{0.07} \\ \color{black}{\text{result}:} & \color{black}{\sum_i z_i \cdot B^i} & & &
\color{black}{2658.47} \\ \end{smallmatrix} \end{align*} First: But space between the
numerals to see the thousands, hundreds, tens, ones, tenths, hundredths

```


From:

<https://first.mexle.te.hs-heilbronn.de/> - **MEXLE Wiki**

Permanent link:

https://first.mexle.te.hs-heilbronn.de/introduction_to_digital_systems/calc_decimal_example?rev=1631667190

Last update: **2021/09/15 02:53**

