

# calc\_logic\_example

## Student Group

First Name	Surname	Matrikel Nr.

## Table of Contents





At first we will switch the representation to the following:

```
\begin{align*} \begin{array}{l} \overline{a \lor (b \land (\bar{a} \lor c) \land 1) \lor a} & & & & & & \\ \color{white}{\overline{ab}} & \quad \quad \quad \quad \quad \quad \quad & & & & & \\ \quad \quad \quad \quad \quad \quad \quad & \quad \quad \quad \quad \quad \quad \quad & & & & & \\ \end{array} \end{align*}
```

At first we will switch the representation to the following:

```
\begin{align*} \begin{array}{l} /a + (b \cdot (/a + c) \cdot 1) + a & & & & & & \color{white}{\overline{ab}} \\ \quad \quad \quad \quad \quad \quad \quad & & & & & & \\ \quad \quad \quad \quad \quad \quad \quad & \quad \quad \quad \quad \quad \quad \quad & & & & & \\ \end{array} \end{align*}
```

1.  $\color{blue}{\text{Neutral Element}}$

```
\begin{align*} \begin{array}{l} /a + (b \cdot (/a + c) \color{blue}{\cdot 1}) + a & & & & & & \\ \color{white}{\overline{ab}} & \quad \quad \quad \quad \quad \quad \quad & & & & & \\ \quad \quad \quad \quad \quad \quad \quad & \quad \quad \quad \quad \quad \quad \quad & & & & & \\ \end{array} \end{align*}
```

1.  $\color{blue}{\text{Neutral Element}}$

```
\begin{align*} \begin{array}{l} /a + (b \cdot (/a + c) \quad \color{blue}{\cdot 1}) + a & & & & & & \\ \color{white}{\overline{ab}} & \quad \quad \quad \quad \quad \quad \quad & & & & & \\ \quad \quad \quad \quad \quad \quad \quad & \quad \quad \quad \quad \quad \quad \quad & & & & & \\ \end{array} \end{align*}
```

2.  $\color{blue}{\text{Commutative Law}}$

```
\begin{align*} \begin{array}{l} /a + \color{blue}{(b \cdot (/a + c) \quad \color{blue}{\cdot 1})} + a & & & & & & \\ \color{white}{\overline{ab}} & \quad \quad \quad \quad \quad \quad \quad & & & & & \\ \quad \quad \quad \quad \quad \quad \quad & \quad \quad \quad \quad \quad \quad \quad & & & & & \\ \end{array} \end{align*}
```

2.  $\color{blue}{\text{Commutative Law}}$

```
\begin{align*} \begin{array}{l} /a + a + (b \cdot (/a + c) \quad \color{blue}{\cdot 1}) & & & & & & \color{white}{\overline{ab}} \\ \quad \quad \quad \quad \quad \quad \quad & & & & & & \\ \quad \quad \quad \quad \quad \quad \quad & \quad \quad \quad \quad \quad \quad \quad & & & & & \\ \end{array} \end{align*}
```

3.  $\color{blue}{\text{Idempotence}}$



```
\begin{align*} \begin{array}{l} /(\color{blue}{a \quad \, + \, \, (b \cdot /a)} + (b \cdot c) \, \, ,) & \\ \color{white}{\overline{ab}} \quad \quad \quad \quad \quad \quad \quad & \\ \quad \quad \quad \quad \quad \quad \quad \quad \quad \quad \quad & \\ \end{array} \end{align*}
```

6.  $\color{blue}{\text{Absorption Law}}$

```
\begin{align*} \begin{array}{l} /a \quad \, + \quad \quad b \quad + (b \cdot c) \, \, ,) & \\ \color{white}{\overline{ab}} \quad \quad \quad \quad \quad \quad \quad & \\ \quad \quad \quad \quad \quad \quad \quad \quad \quad \quad & \\ \end{array} \end{align*}
```

7.  $\color{blue}{\text{Absorption Law}}$

```
\begin{align*} \begin{array}{l} /a \enspace \color{blue}{b \quad + \, (b \cdot c) \, \, ,) & \\ \color{white}{\overline{ab}} \quad \quad \quad \quad \quad \quad \quad & \\ \quad \quad \quad \quad \quad \quad \quad \quad \quad \quad & \\ \end{array} \end{align*}
```

From:

<https://first.mexle.te.hs-heilbronn.de/> - MEXLE Wiki

Permanent link:

[https://first.mexle.te.hs-heilbronn.de/introduction\\_to\\_digital\\_systems/calc\\_logic\\_example?rev=1631829723](https://first.mexle.te.hs-heilbronn.de/introduction_to_digital_systems/calc_logic_example?rev=1631829723)

Last update: **2021/09/17 00:02**

