

Photodiode as current source

Student Group

First Name	Surname	Matrikel Nr.

Table of Contents

Photo Diode as current source 2

Photo Diode as current source



Fig. 2: Inverting Op-Amp: Photo Diode as current source



Fig. 3: Inverting Op-Amp: Photo Diode as current source



Fig. 4: Inverting Op-Amp: Photo Diode as current source

$$U_{DD} \approx 10\text{V}, U_{SS} \approx -10\text{V}$$

Complete the arrows in the schematic of the circuit.

Take the values for U_1, U_2, U_{OUT} from figure ##.

Use these values to calculate the sum of the voltages at node N_{12} .

Compare your result by measurement.

$$U_1 \approx$$

$$U_2 \approx$$

$$U_{OUT} \approx$$

$$\text{Calculated } U_{N_{12}} \approx$$

$$\text{Measured } U_{N_{12}} \approx$$

What are your results?

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

What will happen if you short-circuit R_2 ?
Try it and explain your results.

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

From:
<https://first.mexle.te.hs-heilbronn.de/> - MEXLE Wiki

Permanent link:
https://first.mexle.te.hs-heilbronn.de/lab05_en/inverting_op-amp_photo_diode_as_current_source?rev=1776415055

Last update: 2026/04/17 10:37

